

Prohlášení ke směrnici 2002/95/ES

Společnost **INTELEK spol. s r.o.**
Vlárská 953/22
Brno

prohlašuje,

že produkty uvedené v příloze

splňují požadavky

SMĚRNICE EVROPSKÉHO PARLAMENTU A RADY 2002/95/ES

ze dne 27. ledna 2003

**o omezení používání některých nebezpečných látek v elektrických a
elektronických zařízeních**

Datum a místo vydání prohlášení:

27.6.2006, Brno

Jméno: Ing. Ivo Kraváček

Funkce: jednatel

Podpis:



Příloha č.1 – Seznam produktů splňujících směrnici 2002/95/ES

065-9013	VoIP SIP Advanced Phone
065-9001	LAN IP camera
065-9003	Wireless IP camera 802.11g
065-9074	IP DSLAM ADSL/ADSL2+, 24 ports, 2x1000Base-TX Uplink
065-9078	IP DSLAM, ADSL/ADSL2+, 48 ports, 2x1000BaseTX Uplink
065-9080	IP DSLAM 50pin 5meter cable
065-9081	IP DSLAM Uplink Module 1x100BaseTX + 2x1000Base TX
065-9082	IP DSLAM Uplink Module 1x100BaseTX + 1x1000BaseTX + 1x1000SX
065-9083	IP DSLAM Uplink Module 1x100BaseTX + 1x1000BaseTX + 1x1000LX
065-9094	IP DSLAM G.SHDSL.bis CPE unit, 4port switch, 4 wires
065-9098	IP DSLAM G.SHDSL.bis CPE unit, 4port switch, 8 wires
065-9200s	VoIP Gateway, 1xWAN,4xLAN,2xFXs
065-9201s	VoIP Gateway, 1xWAN,4xLAN,1xFXs,1xFXo
065-9400s	VoIP Gateway, 1xWAN,4xLAN,4xFXs
065-9401s	VoIP Gateway, 1xWAN,4xLAN,3xFXs,1xFXo
065-9402s	VoIP Gateway, 1xWAN,4xLAN,2xFXs,2xFXo
065-9404s	VoIP Gateway, 1xWAN,4xLAN,4xFXo
065-9800s	VoIP Gateway, 1xWAN,4xLAN,8xFXs
065-9802s	VoIP Gateway, 1xWAN,4xLAN,6xFXs,2FXo
065-9804s	VoIP Gateway, 1xWAN,4xLAN,4xFXs,4FXo
065-9808s	VoIP Gateway, 1xWAN,4xLAN,8xFXo
065-9200sk	VoIP Gateway H.323 Gatekeeper, 1xWAN,4xLAN,2xFXs
065-9201sk	VoIP Gateway H.323 Gatekeeper, 1xWAN,4xLAN,1xFXs,1xFXo
065-9400sk	VoIP Gateway H.323 Gatekeeper, 1xWAN,4xLAN,4xFXs
065-9401sk	VoIP Gateway H.323 Gatekeeper, 1xWAN,4xLAN,3xFXs,1xFXo
065-9402sk	VoIP Gateway H.323 Gatekeeper, 1xWAN,4xLAN,2xFXs,2xFXo
065-9404sk	VoIP Gateway H.323 Gatekeeper, 1xWAN,4xLAN,4xFXo
065-9200svr	VoIP Gateway, SIP Proxy Server, 1xWAN,4xLAN,2xFXs
065-9201svr	VoIP Gateway, SIP Proxy Server, 1xWAN,4xLAN,1xFXs,1xFXo
065-9400svr	VoIP Gateway, SIP Proxy Server, 1xWAN,4xLAN,4xFXs
065-9401svr	VoIP Gateway, SIP Proxy Server, 1xWAN,4xLAN,3xFXs,1xFXo
065-9402svr	VoIP Gateway, SIP Proxy Server, 1xWAN,4xLAN,2xFXs,2xFXo
065-9404svr	VoIP Gateway, SIP Proxy Server, 1xWAN,4xLAN,4xFXo
065-1176A	Rackmount mini media konvertor 10/100Base-T/100Base-FX SC SM (20KM)
065-1176B	Rackmount mini media konvertor 10/100Base-T/100Base-FX SC SM (20KM)
065-1197A	Rackmount mini media konvertor 1000BaseT RJ-45/1000BaseLX SC SM (20 km)
065-1186	Rackmount mini media konvertor 16slot Chassis
065-1163FST	Serial to Fiber Media Converter RS-232/422/485 to 100BaseFX - ST Multimode
065-1163FSC	Serial to Fiber Media Converter RS-232/422/485 to 100BaseFX - SC Multimode
065-1163FSM	Serial to Fiber Media Converter RS-232/422/485 to 100BaseFX - SC Singlemode
065-1800	Hardened 10/100BaseT / 100BaseFX Media Converter, ST MM
065-1810	Hardened 10/100BaseT / 100BaseFX Media Converter, SC MM
065-1895	Hardened 1000BaseT / 1000BaseSX Media Converter, SC MM
065-1100	10/100BaseT/TX to 100BaseFX Converter ST Multimode
065-1110	10/100BaseT/TX to 100BaseFX Converter SC Multimode
065-1170	10/100BaseT/TX to 100BaseFX Converter VF-45 Multimode
065-1172	10/100BaseT/TX to 100BaseFX Converter MT-RJ Multimode
065-1174	10/100BaseT/TX to 100BaseFX Converter LC Multimode
065-1120A	10/100BaseT/TX to 100BaseFX Converter SC Single-Mode (15km)
065-1120ED	10/100BaseT/TX to 100BaseFX Converter SC Single Mode (30km)
065-1120XLD	10/100BaseT/TX to 100BaseFX Converter SC Single-Mode (75km)
065-1196LX	10/100/1000BaseT/TX to 1000BaseSX Converter, SC Singlemode
065-1196	10/100/1000BaseT/TX to 1000BaseSX Converter, SC Multimode

065-1194i	1000BaseSX SC Multimode to 1000BaseLX SC Singlemode (10km)
065-1194ED	1000BaseSX SC Multimode to 1000BaseLX SC Singlemode (20km)
065-1195i	1000BaseT RJ45 to 1000BaseSX SC Multimode
065-1197	1000BaseT RJ45 to 1000BaseLX SC Singlemode (10km)
065-1197ED	1000BaseT RJ45 to 1000BaseLX SC Singlemode (20km)
065-1198XLD	1000BaseLX SC to 1000BaseLX SC Repeater Singlemode (20km)
065-1050ST	10/100BaseT/Tx to 100BaseFx PoE supported PSE Converter, ST Multimode
065-1050SC	10/100BaseT/Tx to 100BaseFx PoE supported PSE Converter, SC Multimode
065-1050SM	10/100BaseT/Tx to 100BaseFx PoE supported PSE Converter, SC Singlemode
065-1052ST	10/100BaseT/Tx to 100BaseFx PoE supported PD Converter, ST Multimode
065-1052SC	10/100BaseT/Tx to 100BaseFx PoE supported PD Converter, SC Multimode
065-1052SM	10/100BaseT/Tx to 100BaseFx PoE supported PD Converter, SC Singlemode
065-1185	16-Bay Rack Mount Media Converter Chassis System - includes 2 Redundant AC Power Supplies and 4 Fan Cooling Assemblies
AC-1185	Spare Redundant AC Power Supply for 16-Bay Chassis
065-7726S	Stackable 24-port 10/100BaseT/TX Switch, 2x fixed copper GB ports, 2x mini GBIC, man.
065-7710	Desktop 10-port 10/100BaseT/TX Switch, 2x mini GBIC, man.
065-7726SPOE	Stackable, PoE supported 24-port 10/100BaseT/TX Switch, 2x fixed copper GB ports, 2x mini GBIC, man.
065-77MM	Mini GBIC module LC Multimode for Gigabit Switches 065-77xx and 065-79xx
065-77SM	Mini GBIC module LC Singlemode for Gigabit Switches 065-77xx and 065-79xx
065-77WDMA	Mini GBIC modul LC Singlemode WDM 065-77xx a 065-79xx, Tx=1310, Rx=1550
065-77WDMB	Mini GBIC modul LC Singlemode WDM 065-77xx a 065-79xx, Rx=1310, Tx=1550
065-77CWDM1510	Mini GBIC modul LC Singlemode CWDM, 1.25Gbps, 3.3V, 1510nm, 50km
065-77CWDM1530	Mini GBIC modul LC Singlemode CWDM, 1.25Gbps, 3.3V, 1530nm, 50km
065-77CWDM1550	Mini GBIC modul LC Singlemode CWDM, 1.25Gbps, 3.3V, 1550nm, 50km
065-77CWDM1570	Mini GBIC modul LC Singlemode CWDM, 1.25Gbps, 3.3V, 1570nm, 50km
065-77CWDM1470	Mini GBIC modul LC Singlemode CWDM, 1.25Gbps, 3.3V, 1470nm, 50km
065-77CWDM1490	Mini GBIC modul LC Singlemode CWDM, 1.25Gbps, 3.3V, 1490nm, 50km
065-77CWDM1590	Mini GBIC modul LC Singlemode CWDM, 1.25Gbps, 3.3V, 1590nm, 50km
065-77CWDM1610	Mini GBIC modul LC Singlemode CWDM, 1.25Gbps, 3.3V, 1610nm, 50km
065-7732AFSC	Multimode Fiber Ethernet Access Switch
065-7732AFSM	Singlemode Fiber Ethernet Access Switch
065-7732AFSCDC	Multimode Fiber Ethernet Access Switch, 48 V DC
065-7732AFSMDC	Singlemode Fiber Ethernet Access SwitchM 48 V DC
065-7640AFSC	Fast Ethernet Fiber Switch - Multimode, SC connectors
065-7640AFSM	Fast Ethernet Fiber Switch - singlemode, SC connectors
065-7640AFSCDC	Fast Ethernet Fiber Switch - Multimode, SC connectors, 48 V DC
065-7640AFSMDC	Fast Ethernet Fiber Switch - singlemode, SC connectors, 48 V DC
065-7931	16-Port 10/100/1000BaseT/TX, Rackmount Switch, 2miniGBIC slots, WebSmart management
065-7941	24-Port 10/100/1000BaseT/TX, Rackmount Switch, 2miniGBIC slots, WebSmart management
065-7840	24-Port 10/100/1000BaseT/TX, Rackmount Switch, 2miniGBIC slots, management
065-7930	16-Port 10/100/1000BaseT/TX Gigabit Ethernet Switch
065-7940	24-Port 10/100/1000BaseT/TX Gigabit Ethernet Switch
065-7820POE	12-port 10/100/1000 TX, Gigabit management switch, PoE feature
065-7921POE	12-port 10/100/1000 TX, Gigabit WebSmart switch, PoE feature

065-7531A	16-Port 10/100BaseT/TX + 1-Port Expandable Switch
065-7541A	24-Port 10/100BaseT/TX + 1-Port Expandable Switch
065-75SC	100BaseFX Expansion Module For 10/100 Switch - SC Multimode
065-75ST	100BaseFX Expansion Module For 10/100 Switch - ST Multimode
065-75SM	100BaseFX Expansion Module For 10/100 Switch - SC Singlemode (15 Km)
Kit-7031	Rackmount Kit for 065-7031 16-Port 10/100T/TX Desktop Switch
065-7341	24-Port 10/100T/TX Rackmount Switch
065-7310FSC	8-Port 100BaseFX Multimode/SC Switch, 2 km
065-7310FST	8-Port 100BaseFX Multimode/ST Switch, 2 km
065-7111SC	Multimode Compact Fiber Access Switch - SC
065-7905A	5-Port 10/100/1000BaseT/TX Desktop Ethernet Mini Switch
065-7908A	8-Port 10/100BaseT/TX Desktop Ethernet Mini Switch
065-7032	16-Port 10/100BaseT/TX Desktop Mini Switch, plastic
065-7308PoE	8-Port 10/100BaseT/TX Desktop Mini Switch, 4 PoE PSE ports, metal
065-7031	16-Port 10/100BaseT/TX Desktop Mini Switch, metal
065-7013	8-Port 10/100BaseT/TX Desktop Mini Switch, metal
065-1507	Broadband Access Router 4 port, 1xWAN RJ-45, 4x 10/100 RJ-45, USB
098-1100FSCR	100BaseFX PCI Network Adapter Card SC Multimode, 32/64-Bit
098-1122	10/100/1000BaseT/TX PCI Card, RJ-45, 32-Bit
098-8040	4-Port KVM-Switch
098-8280	8-Port KVM-Switch Cascadable with On-Screen Control
098-82160	16-Port KVM-Switch Cascadable with On-Screen Control
065-2408	OMNI-8,5 Omnidirectional antenna, Gain 8,5 dBi, 2,4 GHz, HPBW V25°, connector: N female
065-2412	OMNI-12 Omnidirectional antenna, Gain 12 dBi, 2,4 GHz, HPBW V20°, connector N female
065-2411	UNI-11 Unidirectional antenna, Gain 11,5 dBi, 2,4 GHz, HPBW H80°, V30°, connector SMA female
065-1755	Indoor 5GHz Access Point/Bridge/Client/Repeater 802.11a/b/g, atheros chipset
065-1750	5GHz PCI card, atheros chipset, 802.11a/g
065-5018	Directional antenna UNI 18 dBi 5,150-5,875 GHz Vert. pol., connector N Female
065-5020	Directional antenna UNI 20 dB 5,150-5,875 GHz Vert. pol., connector N Female
065-5423	Directional antenna UNI 23.5 dB 5,400-5,725 GHz Vert. pol., connector N Female
065-5428	Directional antenna UNI 28.5 dB 5,400-5,725 GHz Vert. pol., connector N Female
065-5431	Directional antenna UNI 31.5 dB 5,400-5,725 GHz Vert. pol., connector N Female
065-5417	Directional antenna 17 dB/ 90st., 5,400-5,725 GHz Vert. pol., connector N Female
065-5808	Omnidirectional antenna OMNI 8 dB 5,725-5,875 GHz Vert. pol., connector N Female,
065-5812	Omnidirectional antenna OMNI 12 dB 5,725-5,875 GHz Vert. pol., connector N Female
065-5818	Directional antenna UNI 18 dB 5,725-5,875 GHz Vert. pol., connector N Female
065-5824	Directional antenna UNI 24 dB 5,725-5,875 GHz Vert. pol., connector N Female
065-5829	Directional antenna UNI 29 dB 5,725-5,875 GHz Vert. pol., connector N Female
065-5831	Directional antenna UNI 32.5 dB 5,725-5,875 GHz Vert. pol., connector N Female