



image similar

## DESCRIPTION

Datwyler offers a broad range of terminated connectors for individual customer needs.  
For all patch cords figure 0 cables with 4.8x3.2 mm are used.

## OPTICAL PROPERTIES

Ferrule material:	Zirconia
Lifetime:	1000 connections with stable attenuation values
Reproducibility of the IL:	maximal +/- 0.1dB
Testing method IL:	IEC 61300-3-4
Testing method RL:	IEC 61300-3-6
Connector type side A:	LSH/APC
IL typical, connector A:	0.12 dB
IL maximal, connector A:	0.25 dB
RL typical, connector A:	70 dB
RL minimal, connector A:	65 dB
Grade, connector A (better than):	B1
Connector type side B:	LSH/APC
IL typical, connector B:	0.12 dB
IL maximal, connector B:	0.25 dB
RL typical, connector B:	70 dB
RL minimal, connector B:	65 dB
Grade, connector B (better than):	B1

## MECHANICAL PROPERTIES

Cable construction:	I-V(ZN)HH (4.8x3.2 mm)
Minimum bending radius:	50 mm
Connector cable retention:	100 N
Tensile load (IEC 60794-1-21 E1 0,33% reversible fibre elongation):	200 N
Crush resistance (IEC 60794-1-21 E3, reversible fibre attenuation):	≤ 0,2 dB
Impact:	IEC 60794-1-21 E4
Repeated bending:	IEC 60794-1-21 E6
Bending (IEC 60794-1-21 E11, reversible fibre attenuation):	≤ 0,5 dB
Torsion (IEC 60794-1-21 E7, reversible fibre attenuation):	≤ 0,1 dB
Operating temperature:	-10 °C - +60 °C

## VERSIONS

Article No.	Product	Sheath	Sheath colour	Length [m]
428810	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	0.5 m
428811	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	1 m
428809	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	1.5 m
428812	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	2 m
428813	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	3 m
428814	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	4 m

**FO duplex patch cord LSH/APC - LSH/APC**  
E9/125 G.652.D OS2



428815	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	5 m
428816	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	6 m
428817	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	7 m
428808	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	7.5 m
428818	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	8 m
428819	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	9 m
428820	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	10 m
428825	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	11 m
428826	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	12 m
428827	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	13 m
428828	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	14 m
428829	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	15 m
428830	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	16 m
428831	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	17 m
428832	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	18 m
428833	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	19 m
428834	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	20 m
428835	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	21 m
428836	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	22 m
428837	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	23 m
428838	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	24 m
428839	FO duplex patch cord LSH/APC - LSH/APC, E9/125 G.652.D OS2	LSZH	yellow	25 m