


Product updated on October 17, 2018

TW08 TW10 Tamper Proof Wall Box - 2 LGX Assemblies



Our tamper resistant wall enclosures can be assembled to fit any installation requirements, offering a wide range of flexibility to the end user. You can choose to have the enclosure pre loaded with adapters only or fully loaded with pigtails to save valuable time on site. The standard enclosure includes the newly designed speedway spool to protect the bend radius of each fiber, cable gland for incoming fiber and splice holders.

FEATURES/BENEFITS


- Cable management kit included
- Interchangeable modular adapter plate
- Fitted with security screws
- Single or double module versions available
- Extended cover to restrict access to exiting connections
- Strength member tie position
- Suitable for pre-terminated cables or splicing
- IP20

APPLICATIONS

- Internal application
- Data Centre or telecommunications networks
- For use in multi dwelling units or demarcation points within a network

SPECIFICATIONS

DESCRIPTION	VALUE
Height	243mm
Width	133mm
Depth	68mm
Net weight	1.1kg
Packaged weight	1.3kg
Packaged dimensions	265mm (H) x 140mm (W) x 72mm (D)
Suitable for adapter type	ST, FC, SC Simplex, LC Duplex, E2000
Number of fibers	Up to 36 fibers
Material	Cold-rolled steel
Material thickness	Tray: 1.2mm
Material coating	Powder coating
Colour	Grey RAL 7035 Black 9004
Operating temperature	-40°C to +60°C
Designed in accordance with	TIA/EIA 568.C, ISO/IEC 11801, EN50173, IEC60304, IEC61754,
Compliant to	RoHS, Reach/SVHC



ORDERING INFORMATION

Description	PART NO.
Double LGX Wall Enclosure - Grey	TW08XXX00
Double LGX Wall Enclosure - Black	TW10XXX00

Optional Extras:

Front plate and adapters, splice protector 45mm, pigtails.



FURTHER INFORMATION

- For additional information please contact your sales representative
- To view the product 360 visit the product page (Scan the QR code or visit the link below)
- Downloaded from <https://www.aflhyperscale.com/product/tw08-tw10-wallbox>
- AFL Hyperscale reserves the right to make changes in this datasheet at any time without notice
- Information in this document is correct as of October 17, 2018

SCAN QR FOR PRODUCT PAGE