

Ensto Compact switch-disconnectors, panel and DIN rail mounted

Handles

PRODUCT CODE	DESCRIPTION	WEIGHT (KG)	PACKAGE SIZE (PCS)	EAN 13 CODE
Direct handles				
PMR241B	Small direct handle for KS switch	0.005	100	6418677171437
PMR250B	Larger direct handle for KS switch	0.006	100	6418677169908
PMR301B	Direct handle for KSM switch	0.006	100	6418677169915
External handles				
KSH29	Not padlockable, IP 54, 0/1, black	0.033	100	6418677170188
KSH48	Padlockable, IP 65, yellow with red handle, 0 OFF / 1 ON	0.043	100	6418677170195
KSH48.2	Padlockable, IP 65, black, 0 OFF / 1 ON, no interlock	0.043	100	6418677169953
KSH48.01	Padlockable, IP 65, black, 0 OFF / 1 ON	0.043	100	6418677170201
KSH75	Pistol grip handle, black, padlockable, IP 65, 0 OFF / 1 ON	0.070	50	6418677169885
KSH75RY	Pistol grip handle, yellow with red handle, padlockable, IP 65, 0 OFF / 1 ON	0.070	50	6418677169892
KS23.055	55 mm for KSH29, KSH48 and KSH75 handles	0.014	100	6418677170232



Small direct handle for KS switch, PMR241B.



Direct handle for KSM switch, PMR301B.



External handle, not padlockable, KSH29.



External handle, padlockable, KSH48.



External handle, padlockable, KSH48.2.



External handle, padlockable, KSH48.01.



Pistol grip handle, padlockable, KSH75.



Pistol grip handle, padlockable, KSH75RY.

Extension shafts

PRODUCT CODE	DESCRIPTION	WEIGHT (KG)	PACKAGE SIZE (PCS)	EAN 13 CODE
KS23.070	70 mm for KSH29, KSH48 and KSH75 handles	0.017	100	6418677170249
KS23.090	90 mm for KSH29, KSH48 and KSH75 handles	0.021	100	6418677170256
KS23.150	150 mm for KSH29, KSH48 and KSH75 handles	0.032	100	6418677170263
KS23.200	200 mm for KSH29, KSH48 and KSH75 handles	0.042	100	6418677170270
KS23.300	300 mm for KSH29, KSH48 and KSH75 handles	0.061	100	6418677170287



KS23.055

Ensto Compact switch-disconnectors, direct door mounted

Ensto Compact switch-disconnectors, 3-pole, direct door mounted

PRODUCT CODE	AMPERAGE (A)	CONDUCTOR CROSS-SECTION (MM ²)	TIGHTENING TORQUE (Nm)	MOUNTING	SIZE (MM)	WEIGHT (KG)	PACKAGE SIZE (PCS)	EAN 13 CODE
KSM1.125	125 A	Cu 10-50 mm ²	4 Nm	Din rail/screw	18 x 62 x 83	0.095	50	6418677169816
KS13.16	3 x 16 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	40 x 80 x 72	0.149	50	6418677171161
KS13.20	3 x 20 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	40 x 80 x 72	0.149	50	6418677171178
KS13.25	3 x 25 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	40 x 80 x 72	0.149	50	6418677170034
KS13.32	3 x 32 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	40 x 80 x 72	0.149	50	6418677171246
KS13.40	3 x 40 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	40 x 80 x 72	0.149	50	6418677170041



KS13.16

Ensto Compact switch-disconnectors, 4th pole

PRODUCT CODE	AMPERAGE (A)	CONDUCTOR CROSS-SECTION (MM ²)	TIGHTENING TORQUE (Nm)	MOUNTING	SIZE (MM)	WEIGHT (KG)	PACKAGE SIZE (PCS)	EAN 13 CODE
KS13.63	3 x 63 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	40 x 80 x 72	0.149	50	6418677170058
KS11.16	16 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	13 x 56 x 72	0.045	50	6418677171130
KS11.20	20 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	13 x 56 x 72	0.045	50	6418677171147
KS11.25	25 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	13 x 56 x 72	0.045	50	6418677170096
KS11.32	32 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	13 x 56 x 72	0.045	50	6418677171154
KS11.40	40 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	13 x 56 x 72	0.045	50	6418677170102
KS11.63	63 A	Cu 1.5-16 mm ²	2 Nm	Din rail/screw	13 x 56 x 72	0.045	50	6418677170119



KS11.16

Accessories

PRODUCT CODE	DESCRIPTION	AMPERAGE (A)	TIGHTENING TORQUE (Nm)	WEIGHT (KG)	PACKAGE SIZE (PCS)	EAN 13 CODE
Additional poles						
KS11N	Switched neutral pole	Max. 63 A	2 Nm	0.042	50	6438100094317
KSN11	Fixed neutral pole	Max. 63 A	2 Nm	0.042	50	6418677170133
KSP11	Fixed PE pole	Max. 63 A	2 Nm	0.042	50	6418677170157
KSA11	NO+NC auxiliary contact	16 A	2 Nm	0.051	50	6418677170171
Handles						
KSH48	Padlockable, IP 65, yellow with red handle, 0 OFF / 1 ON			0.043	100	6418677170195
KSH48.01	Padlockable, IP 65, black, 0 OFF / 1 ON			0.043	100	6418677170201
Terminal shrouds						
PMR121	Terminal shroud for KS1 and KS11 poles			0.004	100	6418677171598
PMR123	Terminal shroud for KS3, KS31 and KS13 switch			0.008	100	6418677171604

Ensto Compact manual motor controllers

Handles

PRODUCT CODE	DESCRIPTION	WEIGHT (KG)	PACKAGE SIZE (PCS)	EAN 13 CODE
Direct handles				
PMR241/U	Small direct handle, black	0.005	100	6418677159145
PMR241B/U	Small direct handle, blue	0.005	100	6418677159152
PMR241R/U	Small direct handle, red	0.005	100	6418677159169
PMR250/U	Medium size direct handle, black	0.006	100	6418677159176
PMR250B/U	Medium size direct handle, blue	0.006	100	6418677159183
PMR250R/U	Medium size direct handle, red	0.006	100	6418677159190
PMR301/U	Large direct handle, black	0.006	100	6418677159206
PMR301B/U	Large direct handle, blue	0.006	100	6418677159213
PMR301R/U	Large direct handle, red	0.006	100	6418677159220
External handles				
KK29/U	Black, IP 54, not padlockable, 0/1	0.038	100	6418677190308
KSH48/U	Padlockable, yellow with red handle, 0 OFF / 1 ON, Environmental type 4X and 13	0.043	100	6418677190315
KSH48.01/U	Padlockable, black, 0 OFF / 1 ON, Environmental type 4X and 13	0.043	100	6418677190322
KSH75/U	Pistol grip handle, black, padlockable, 0 OFF / 1 ON, Environmental type 4X and 12	0.070	50	6418677190339
KSH75RY/U	Pistol grip handle, yellow with red handle, padlockable, 0 OFF / 1 ON, Environmental type 4X and 12	0.070	50	6418677190346
PMR716.1/U	Handle shaft guide replacement KSH48/U and KSH48.01/U	0.006	250	6418677190353



Small direct handle, PMR241B/U.



Medium size direct handle, PMR250/U.



Large direct handle, PMR301R/U.



External handle, not padlockable, KK29/U.



External handle, padlockable, KSH48/U.



External handle, padlockable, KSH48.01/U.



Pistol grip handle, padlockable, KSH75/U.



Pistol grip handle, padlockable, KSH75RY/U.



Handle shaft guide replacement KSH48, PMR716.1/U.

Ensto Origin manual motor controllers

Ensto Origin manual motor controllers

PRODUCT CODE	AMPERAGE	VOLTAGE	TIGHTENING TORQUE (LB-IN)	MOUNTING	SIZE (MM)	WEIGHT (KG)	PACKAGE SIZE (PCS)	EAN 13 CODE
Rotary switches without shaft retaining collar								
KSR3.40/U	3 x 40 A	600 VAC	35 Lb-In	Din rail/Screw	51 x 70 x 68	0.170	30	6418677190001
KSR3.60/U	3 x 60 A	480 VAC	35 Lb-In	Din rail/Screw	51 x 70 x 68	0.170	30	6418677190018
KSR3.80/U	3 x 80 A	600 VAC	50 Lb-In	Din rail/Screw	53 x 84 x 73	0.268	30	6418677190025
KSR3.100/U	3 x 100 A	480 VAC	50 Lb-In	Din rail/Screw	53 x 84 x 73	0.268	30	6418677190032
KSR4.40/U	4 x 40 A	480 VAC	35 Lb-In	Din rail/Screw	62 x 70 x 68	0.205	30	6418677190056
Rotary switches with shaft retaining collar								
KSR3.401/U	3 x 40 A	600 VAC	35 Lb-In	Din rail/Screw	51 x 70 x 68	0.180	30	6418677190070
KSR3.601/U	3 x 60 A	480 VAC	35 Lb-In	Din rail/Screw	51 x 70 x 68	0.180	30	6418677190087
KSR3.801/U	3 x 80 A	600 VAC	50 Lb-In	Din rail/Screw	53 x 84 x 73	0.280	30	6418677190094
KSR3.1001/U	3 x 100 A	480 VAC	50 Lb-In	Din rail/Screw	53 x 84 x 73	0.280	30	6418677190100
KSR4.401/U	4 x 40 A	480 VAC	35 Lb-In	Din rail/Screw	62 x 70 x 68	0.213	30	6418677190124
Rotary switches with shaft retaining collar (hex socket)								
KSR3.402/U	3 x 40 A	600 VAC	35 Lb-In	Din rail/Screw	51 x 70 x 68	0.180	30	6418677190131
KSR3.602/U	3 x 60 A	480 VAC	35 Lb-In	Din rail/Screw	51 x 70 x 68	0.180	30	6418677190148
KSR3.802/U	3 x 80 A	600 VAC	50 Lb-In	Din rail/Screw	53 x 84 x 73	0.280	30	6418677190155
KSR3.1002/U	3 x 100 A	480 VAC	50 Lb-In	Din rail/Screw	53 x 84 x 73	0.280	30	6418677190162
KSR4.402/U	4 x 40 A	480 VAC	35 Lb-In	Din rail/Screw	62 x 70 x 68	0.213	30	6418677190179
Toggle switches								
KST3.40/U	3 x 40 A	600 VAC	35 Lb-In	Din rail/Screw	51 x 70 x 70	0.155	30	6418677190186
KST3.60/U	3 x 60 A	480 VAC	35 Lb-In	Din rail/Screw	51 x 70 x 70	0.155	30	6418677190193
KST3.80/U	3 x 80 A	600 VAC	50 Lb-In	Din rail/Screw	53 x 84 x 73	0.260	30	6418677190209
KST3.100/U	3 x 100 A	480 VAC	50 Lb-In	Din rail/Screw	53 x 84 x 73	0.260	30	6418677190216
KST4.40/U	4 x 40 A	480 VAC	35 Lb-In	Din rail/Screw	62 x 70 x 69	0.190	30	6418677190223



KSR3.80/U



KSR3.801/U



KSR3.402/U



KST3.80/U

Handles

PRODUCT CODE	DESCRIPTION	WEIGHT (KG)	PACKAGE SIZE (PCS)	EAN 13 CODE
Direct handles				
KK57.18/U	Direct handle, black/grey for KSR3.40/U-KSR3.60/U	0.017	100	6418677190735
KK57.19/U	Direct handle, black/grey for KSR3.80/U-KSR3.100/U	0.018	100	6418677190742
KK57.37/U	Direct handle, black/grey for KSR4.40/U	0.019	100	6418677190759
KK57.182/U	Direct handle, red/yellow for KSR3.40/U-KSR3.60/U	0.018	100	6418677190766
KK57.192/U	Direct handle, red/yellow for KSR3.80/U-3.100/U	0.019	100	6418677190773
KK57.372/U	Direct handle, red/yellow for KSR4.40/U	0.020	100	6418677190780
External handles				
KK29/U	Black, IP 54, not padlockable, 0/1	0.038	100	6418677190308
KSH48/U	Padlockable, yellow with red handle, 0 OFF / 1 ON, Environmental type 4X and 13	0.043	100	6418677190315
KSH48.01/U	Padlockable, black, 0 OFF / 1 ON, Environmental type 4X and 13	0.043	100	6418677190322
KSH75/U	Pistol grip handle, black, padlockable, 0 OFF / 1 ON, Environmental type 4X and 12	0.070	50	6418677190339
KSH75RY/U	Pistol grip handle, yellow with red handle, padlockable, 0 OFF / 1 ON, Environmental type 4X and 12	0.070	50	6418677190346
PMR716.1/U	Handle shaft guide replacement KSH48/U and KSH48.01/U	0.006	250	6418677190353



KK57.18/U