

# ENSTO

NGRP806030

Cubo N wall cabinet 863 4P

|             |                                                                                                                                                                                                                          |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Code        | NGRP806030                                                                                                                                                                                                               |
| GTIN        | 6438100205010                                                                                                                                                                                                            |
| Name        | Cubo N wall cabinet 863 4P Ensto Cubo N<br>Size 800 x 600 x 300 mm, plain sides,<br>polyester                                                                                                                            |
| Description | Ensto Cubo N polyester wall cabinets are available with plain sides. These wall cabinets have superb temperature, UV and chemical resistance, high impact strength and a sturdy construction, and they are halogen free. |
| Vendor      | Ensto Finland Oy<br>CE                                                                                                                                                                                                   |



## Technical specification

### Technical specification

Content: Empty enclosures, screws for mounting plate

### Dimensions

|         |                 |
|---------|-----------------|
| Weight: | 12 kg           |
| Width:  | 806 mm          |
| Size:   | 800 x 600 x 300 |
| Height: | 600 mm          |
| Depth:  | 300 mm          |

### Temperatures

|                               |                 |
|-------------------------------|-----------------|
| Operating temperature:        | -40 ... +80 °C  |
| Short term temperature range: | -50 ... +140 °C |

### Materials

|                     |                                  |
|---------------------|----------------------------------|
| Material:           | Glass reinforced polyester (GRP) |
| Gasket:             | Polyurethane                     |
| Material selection: | Polyester                        |

### Colors

Color: Grey

## Features

Lock type: Din 3

## Mechanical

Impact strength: IK 10

## Certificates

Standards: EN 62208

## Ratings

Degree of protection: IP66

Glow wire test : 960 °C

ETIM 7: EC000261 Enclosure/switchgear cabinet (empty)

## ETIM

### ETIM

Height: 600 mm

Wall fastening possible: true

Number of locks: 4

Surface finishing: Untreated

Colour: Grey

With mounting plate: false

Number of doors: 1

Floor installation possible: false

Pole fastening: true

Impact strength: IK10

Degree of protection (IP): IP66

Depth: 300 mm

Width: 800 mm

Material: Plastic

RAL-number: 7035

Suitable for outdoor set-up: true

## Packaging

### Default package

Unit: PCS

Size: 1

Length: 330 mm

Width: 815 mm

Height: 605 mm

Weight (brt): 13.5 kg

Volume: 162.7147

