Detailed Specifications & Technical Data

Ē



METRIC MEASUREMENT VERSION

AX100282 Faceplates and Panels - Patch Box - MDVO

1000		1 - 1 - 1 - 1 - 1											
L.,	Ы.	1	л.		_		L.,	1	1	л.	_	Ŀ	s.,





For more Information please call

1-800-Belden1



General Description: MDVO Patch Box, 12-port, Black (Empty)

Suitable Applications:	 Compatible with a variety of modules that are suitable for use with Belden IBDN Systems 10GX, 4800, 3600, 2400 and 1200.
Related Parts:	- Compatible with 10GX, CAT6+ and CAT5E MDVO Modular Jacks
hysical Characteristics (Connectivity)	
Capacity	
Max. Capacity:	12 connectors
Access	
Front Connection:	Flush
Termination Area:	Front
Dimensions Dimensions:	
Height (mm) Width (mm) Depth (mm)	
69.774 254.000 79.578	
Materials	
Materials:	
Description Material Patch Box Steel	
Bezel Plastic - UL94V-0	
Color	
Color:	Black
Weight	
Weight:	1.145 kg
Included Parts	
Included Parts:	2 Screws Wood #10x1in; Label
Packaging	
Packaging:	Individually packaged in a cardboard box.
lechanical Characteristics (Connectivity)	
Footprint/Type:	MDVO-Style
Storage Temperature Range:	-40°C To +70°C
Installation Temperature Range:	-10°C To +60°C
Operating Temperature Range:	-10°C To +60°C
Applicable Specifications and Agency Complia	ance (Overall)
Applicable Standards & Environmental Programs	
EU Directive 2002/95/EC (RoHS):	Yes
EU RoHS Compliance Date (mm/dd/yyyy):	07/01/2006
MII Order #39 (China RoHS):	EUP 50
Safety Listing:	ACA, Bi-national Standard Listed
Prolitability	
Suitability	

Detailed Specifications & Technical Data



METRIC MEASUREMENT VERSION

AX100282 Faceplates and Panels - Patch Box - MDVO

Notes: For proper installation refer to Installation Guide PX100394 included with the product or visit our web site at http://www.belden.com

Product Family						
Put Ups and C	olors:					
Item #	Putup	Ship Weight	Color	Notes	Item Desc	
AX100282	1 EA	2.550 LB	BLACK		MDVO PATCH BOX 12-PORT	

Revision Date: 02-24-2012 Revision Number: 0

© 2016 Belden, Inc All Rights Reserved

All Rights Reserved. Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein. All sales of Belden products are subject to Belden's standard terms and conditions of sale. Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information and belief at the date of its publication. The information provided in this Product Disclosure, is correct to the best of Belden's knowledge, information, and belief at the date of its publication. The information provided of the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.