

ENSTO

NK5PB.W

Panel mounting adapter

Code	NK5PB.W
GTIN	6418677700729
ENumber	
Name	Panel mounting adapter EnstoNet White
Description	Aperture $\varnothing$ 16,5 mm for fixed installation cable. The dimensions of the mounting hole is the same as for NK5P.W panel mounting adapter. A blind panel mounting adapter can be used, for example, to convert an EnstoNet light fitting to a traditional installation light fitting.
Vendor	Ensto Finland Oy 



Technical specification

Dimensions

Weight:	4.1 g
Dimensions l x w x h:	13x71x23

Temperatures

Max. operating temperature:	+70 °C
Min. installation temperature:	+5 °C
Min. operating temperature:	-30 °C (without mechanical stress)

Materials

Material:	Polycarbonate
-----------	---------------

Colors

Color:	White
--------	-------

Ratings

Flammability rating:	UL 94 V-2
ETIM 7:	EC002863 Accessories for plug-in building installation

ETIM

ETIM

Type of accessory: Other

Packaging

Default package

Unit:	PCS
Size:	200
Length:	220 mm
Width:	220 mm
Height:	175 mm
Weight (net):	0.835 kg
Weight (brt):	0.982 kg
Volume:	8.47

Pallet package

Unit:	PCS
Size:	18000
Length:	1200 mm
Width:	800 mm
Height:	1025 mm
Weight (brt):	73.65 kg

