GRADE LEVEL BOXES (GLB®) FOR BROADBAND AND TELECOMMUNICATIONS



ORDERING GUIDE

GREENBELT APPLICATIONS

Channell provides High Density Polyethylene (HDPE) grade level boxes and lids in a variety of depths and sizes for greenbelt applications. These boxes are designed to meet the specific fiber, coax and copper needs of the broadband, telecommunications and utilities industries. They can be used in areas of pedestrian traffic in conjunction with various Channell products in below grade applications.



GLB610 Snap-in Cover Top Diameter: 6.0" (152.4mm) Depth: 10.0" (254.0mm) Bottom Inside Diameter: 8.5" (215.9mm)



GLB912 L-Bolt Cover Top Diameter: 9.5" (241.3mm) Depth: 12.0" (304.8mm) Bottom Inside Diameter: 12.5" (317.5mm)



GLB1419 L-Bolt Cover Top Inside Dimensions: 10.0" Width X 15.0" Length (254.0mm X 382.0mm) Depth: 12.0" (304.8mm) Bottom Inside Dimensions: 14.0"Width X 19.0" Length (355.6mm X 482.6mm) (Available with 6" (152.4mm) extension)



GLB1111 L-Bolt Cover Top Inside Dimensions: 11.0" Width X 11.0" Length (279.4mm X 279.4mm) Depth: 16.0" (406.4mm)

CHANNELL



GLB1620 L-Bolt Cover Top Inside Dimensions: 16.0" Width X 20.0" Length (406.4mm X 508.0mm) Depth: 18.0" (457.2mm)



ORDERING GUIDE





"L" Bolt Cover Security

Marker/Locator (A04)

ORDERING INFORMATION: GLB® FOR BROADBAND AND TELECOMMUNICATIONS

		GLB	XXXX	XX	Χ	I.	Χ	Χ	A0
Description -									
GLB	_	Grade Level Box							
jize									
6	-	Round, Top Diameter 6" (152.4mm), Depth 10" (254.0mm)						
9	_	Round, Top Diameter 9.5" (241.3mm), Depth 12"							
1111	_	11" Width x 11" Length (279.4mm x 279.4mm), D							
1419	_	10" Width x 15" Length (335.0mm x 382.0mm),							
1620	_	16" Width x 20" Length (406.4mm x 508.0mm)							
Body Depth		5	, I						
10	_	10" (254.0mm), GLB610 only							
12	_	12" (304.8mm), GLB912, and GLB1419 only							
16	_	16" (406.4mm), GLB1111 only							
18	_	18" (457.2mm), GLB1620 only							
Cover Color									
1	_	Green							
3	_	Gray							
Cover Identif	icatior								
В	_	Broadband							
Т	_	Telecommunications							
Ν	_	No Logo (Blank)							
Cover Type –		5							
1	_	Solid Thermoplastic							
Cover Securi	ty —	1							
0	-	No Bolt (GLB610 only)							
1	_	Plastic L-Bolt (Standard feature for GLB912, GLE	31111, GLB1419 and GLB1	620)					
Accessory O	otions			-					
A03	_	Telescoping Vertical Mounting Bracket (GLB1620	only)						
		Marker/Locator (installed on underside of cover)	1.						

Example: GLB1620181B11A04 - GLB1620, 18" Depth, Green Cover, Broadband Cover Identification, Solid Thermoplastic Cover, Plastic L-Bolt, Marker/Locator



UNITED STATES: Channell Commercial Corporation, Temecula, CA, United States • Tel 800.423.1863 • Fax 951.296.2322
CANADA: Channell Canada, Inc., Mississauga, ON, Canada • Tel 905.565.1700 • Fax 905.565.8282
EUROPE, MIDDLE EAST, AFRICA: Channell Ltd., Dartford, United Kingdom • Tel 44.1322.312590 • Fax 44.1322.508490
AUSTRALIA, ASIA, PACIFIC RIM: Channell Pty. Ltd., Seven Hills, NSW, Australia • Tel 61.2.8884.4111 • Fax 61.2.8814.8841
DEVELOPING LOCATIONS: Dallas, TX, United States • Mexico City, D.F., Mexico

WORLDWIDE HEADQUARTERS: Channell Commercial Corporation • Tel 951.719.2600 • 26040 Ynez Road, P.O. Box 9022, Temecula, CA 92589-9022, United States

www.channell.com

All specifications subject to change without notice. Printed in U.S.A. CH09-116 08095MTA GLB is a trademark of Channell Commercial Corporation. © 2017 Channell Commercial Corporation. All rights reserved.

GRADE LEVEL BOXES (GLB®) FOR WATER IRRIGATION



ORDERING GUIDE

GREENBELT APPLICATIONS

Channell provides High Density Polyethylene (HDPE) grade level boxes and lids in a variety of depths and sizes for greenbelt applications. These boxes are designed to meet the specific fiber, coax and copper needs of the broadband, telecommunications and utilities industries. They can be used in areas of pedestrian and golf buggy traffic plus maintenance vehicle traffic in conjunction with various Channell products in below grade applications. Below Grade locators keeps the play moving and enhance the aesthetics of your surroundings.



GLB610 Snap-in Cover Top Diameter: 6.0" (152.4mm) Depth: 10.0" (254.0mm) Bottom Inside Diameter: 8.5" (215.9mm)



GLB912 L-Bolt Cover Top Diameter: 9.5" (241.3mm) Depth: 12.0" (304.8mm) Bottom Inside Diameter: 12.5" (317.5mm)



GLB1419 L-Bolt Cover Top Inside Dimensions: 10.0" Width X 15.0" Length (254.0mm X 382.0mm) Depth: 12.0" (304.8mm) Bottom Inside Dimensions: 14.0"Width X 19.0" Length (355.6mm X 482.6mm) (Available with 6" (152.4mm) extension)



GLB1111 L-Bolt Cover Top Inside Dimensions: 11.0" Width X 11.0" Length (279.4mm X 279.4mm) Depth: 16.0" (406.4mm)



GLB1620 L-Bolt Cover Top Inside Dimensions: 16.0" Width X 20.0" Length (406.4mm X 508.0mm) Depth: 18.0" (457.2mm)



channell.com

ORDERING GUIDE





"L" Bolt Cover Security

Marker/Locator (A04)

ORDERING INFORMATION: GLB® FOR WATER IRRIGATION

		GLB	XXXX	XX	X	I.	Χ	Χ	A0
Description									
GLE		Grade Level Box							
Size6			2 (2E 4 0						
9	_	Round, Top Diameter 6" (152.4mm), Depth 10' Round, Top Diameter 9.5" (241.3mm), Depth 12							
9 1111	_	11" Width x 11" Length (279.4mm x 279.4mm),							
1419		10" Width x 15" Length (335.0mm x 382.0mm							
162		16" Width x 20" Length (406.4mm x 508.0mm							
Body Depth									
10 IO	_	10" (254.0mm), GLB610 only							
10	_	12" (304.8mm), GLB912, and GLB1419 only							
16	_	16" (406.4mm), GLB1111 only							
18	_	18" (457.2mm), GLB1620 only							
Cover Color									
1	_	Green							
3	_	Gray							
Cover Ident	ification								
В	_	Broadband							
Т	_	Telecommunications							
Ν	_	No Logo (Blank)							
Cover Type									
1	-	Solid Thermoplastic							
Cover Secui	ity —	·							
0	-	No Bolt (GLB610 only)							
1	-	Plastic L-Bolt (Standard feature for GLB912, G	LB1111, GLB1419 and GLB1	620)					
Accessory C	Options								
Å03	3 –	Telescoping Vertical Mounting Bracket (GLB162	20 only)						
A04	4 –	Marker/Locator (installed on underside of cover							

Example: GLB1620181B11A04 - GLB1620, 18" Depth, Green Cover, Broadband Cover Identification, Solid Thermoplastic Cover, Plastic L-Bolt, Marker/Locator



UNITED STATES: Channell Commercial Corporation, Temecula, CA, United States • Tel 800.423.1863 • Fax 951.296.2322 CANADA: Channell Canada, Inc., Mississauga, ON, Canada • Tel 905.565.1700 • Fax 905.565.8282 EUROPE, MIDDLE EAST, AFRICA: Channell Ltd., Dartford, United Kingdom • Tel 44.1322.312590 • Fax 44.1322.508490 AUSTRALIA, ASIA, PACIFIC RIM: Channell Pty. Ltd., Seven Hills, NSW, Australia • Tel 61.2.8884.4111 • Fax 61.2.8814.8841 DEVELOPING LOCATIONS: Dallas, TX, United States • Mexico City, D.F., Mexico

WORLDWIDE HEADQUARTERS: Channell Commercial Corporation • Tel 951.719.2600 • 26040 Ynez Road, P.O. Box 9022, Temecula, CA 92589-9022, United States

www.channell.com

All specifications subject to change without notice. Printed in U.S.A. CH09-116 08095MTA GLB is a trademark of Channell Commercial Corporation. © 2017 Channell Commercial Corporation. All rights reserved.